

Fermi National Accelerator Laboratory Batavia, IL 60510

CMS ME3/1 ANODE PANEL FR-4 BAR GLUING TRAVELER

Reference Drawing(s) Endcap Muon Chamber ME3/1 Final Assembly 5520-ME-368310

Endcap Muon Chamber Anode Panel Assembly 5520-ME-368311

Budget Code:	Project Code:	
Released by:	Date:	
Prepared by: M. Hubbard, B. Jensen, L. I	Lee	
Title	Signature	Date
TD / E&F Process Engineering		
	Bob Jensen/Designee	
TD / E&F CMS Assembly		
	Glenn Smith/Designee	
TD / E&F Technological Physicists		
	Oleg Prokofiev/Designee	
TD / CMS Project Manager		
	Giorgio Apollinari/Designee	

Revision Page

			<u>Revision Page</u>		
Revision	Step No.	Luizial Dalassa	Revision Description	TRR No. Date	
None	N/A	Initial Release		N/A 04/26/0	O

Rev. None

Ensure appropriate memos and specific instructions are placed with the traveler before issuing the sub traveler binder to production.

- 1.1 White (Lint Free) Gloves (Fermi stock 2250-1800) or Nitrile Gloves (Fermi stock 2250-2040) shall be worn by all personnel when handling all product parts after the parts have been prepared/cleaned.
- 1.2 All steps that require a sign-off shall include the Technician/Inspectors first initial and full last name.
- 1.3 No erasures or white out will be permitted to any documentation. All incorrectly entered data shall be corrected by placing a single line through the error, initial and date the error before adding the correct data.
- 1.4 All Discrepancy Reports issued shall be recorded in the left margin next to the applicable step.
- 1.5 All personnel performing steps in this traveler must have documented training for this traveler and associated operating procedures.
- 1.6 Personnel shall perform all tasks in accordance with current applicable ES&H guidelines and those specified within the step.
- 1.7 Cover the panel/chamber with Mylar when not being serviced or assembled.
- 1.8 Never hand pass anything over a panel as dropped items may damage the panel.

2.0 Parts Kit List

2.1 Attach the completed Parts Kit List for the CMS Anode Panel Gluing to this traveler. Ensure that the serial number on the Parts Kit List matches the serial number of this traveler. Verify that the Parts Kit received is complete.


Process Engineering/Designee Date

			April 26, 2000 Rev. None
3.0	<u>Panel</u>	Preparation (Side #2)	Completed
	3.1	Acquire the Anode Panel (ME-368311) as per the Panel Serial Number at the bottom of this traveler.	
	3.2	Clean the entire panel with Ethyl Alcohol (Fermi Stk. No. #1920-0600) and a low lint wipe (Fermi Stk No. 1660-2500) to remove any dirt, dusts, oils, and other foreign material on the panel	
	3.3	Install the Mark Position Measuring Device Assembly (MD-368990) onto the panel. When installing the Mark Positioning Tooling, ensure the expanding bushing is fully relaxed before installing into the panel. Also, ensure the aluminum spool is fully inserted into the tooling before tightening the rubber bushing. Side View of Installed Mark Positioning Tooling Ensure aluminum spool is fully inserted into the tooling before tightening the rubber bushing. Ensure expanding rubber bushing is fully relaxed prior to insertion into panel	
		Top View (panel narrow view) (for reference only!!)	
			•
		CMS Mark Tooling Assy (MD-368990)	
	3.4	Measure the panel and record the measurements on Measurement Form 5520-FM-333476 and attach the completed form to this traveler.	

Rev. None

3.5 Using two Short Circuit Tester Units, check all five strip connector circuits. Starting from the left of the serial number, place a Short Circuit Tester on Circuits #1 and #2.

Note(s):



3.5.1 If no RED or GREEN lights activate, then continue checking the balance of the circuits as per below chart.

Circuit	Pass	Fail
Circuit #1		
Circuit #2		
+ Circuit #2		
Circuit #3		
Circuit #3		
⁺ Circuit #4	, ,	,
Circuit #4		
⁺ Circuit #5		

T .	/ \	
Note(C	١
11016	10	,

After measurements are completed inform supervisor of any failures. If all pass continue.

Technician(s)

Date

CMS ME3/1 Anode Panel Gluing

3.6	Transport the Anode panel to the Wire Fixation Bar Installation station.	Completed
3.7	Acquire the following Anode panel FR-4 parts and clean with Ethyl Alcohol (Fermi Stk. No. #1920-060000) and Texwipe TX325 (3" X 2.5") Natural Wipes (McMaster-Carr) to remove any dirt, dusts, oils, and other foreign material.	
	2 ea MB-368468 Wire Fixation Bar, 3/1 L-1 2 ea MB-368472 Wire Fixation Bar, 3/1 L-2 2 ea MB-368476 Wire Fixation Bar, 3/1 L-3 2 ea MB-368470 Wire Fixation Bar, 3/1 R-1 2 ea MB-368474 Wire Fixation Bar, 3/1 R-2	
	2 ea MB-368478 Wire Fixation Bar, 3/1 R-3 4 ea MA-368305 Gas Sleeve 18 ea MA-368250 Pins (Wire Fixation Bars)	
3.8	Clean the Protection Strip Set Assy's (MD-368576) for both sides with Ethyl Alc (Fermi Stk No. 1920-0600) and a low-lint wipe (Ferm Stk No. 1660-2500).	ohol
3.9	Mix glue (Epoxy Adhesive #2216 Parts A&B) in a 50/50 ratio using approximately grams of each. Allow the glue to sit for at least 30 minutes and no more than 45 m	
	Technician(s) Date	


Completed

- 3.10 Install the Fixation Pins (MA-368250 [18 ea]) into panel.
- 3.11 Install the Wire Fixation Bars 3/1 L-1, 3/1 L-2, 3/1 L-3, 3/1 R-1, 3/1 R-2 and 3/1 R-3 onto the Wire Fixation Pins in the panel in accordance with drawing Figure 1.

Note(s):

When installing the Wire Fixation Bars, visually inspect the location by verifying placement of Wire Fixation Bar end angles and Wire Fixation Bar solder pads.

Figure 1



- 3.12 Place Post-it Tape (Fermi Stk No. 1330-1310 (Red) or equivalent) Flags over each of the Fixation pin holes.
- 3.13 Install the Protection Strip Set Assy's onto the Wire Fixation Bars and secure to the panel.

 Ensure the Protection Strip Set Assy is mounted flush to the panel.

Technician(s)

Date

PNP

CMS ME3/1 Anode Panel Gluing

Completed

4.0 <u>Panel Preparation (Side #1)</u>

Rotate the Anode Panel 180°.


4.2 Install the Wire Fixation Bars 3/1 L-1, 3/1 L-2, 3/1 L-3, 3/1 R-1, 3/1 R-2 and 3/1 R-3, onto the Fixation Pins in the panel in accordance with drawing Figure 1.

Note(s):

4.1

When installing the Wire Fixation Bars, visually inspect the location by verifying placement of Wire Fixation Bar end angles and Wire Fixation Bar solder pads.

Figure 1



4.3 Place Post-it Tape (Fermi Stk No. 1330-1310 (Red) or equivalent) Flags over each of the Fixation pin holes.

Technician(s)

Date

PNIPI

PNPI

5 0	D 1.01		Rev. None
5.0	Panel Gl	luing (Side #1)	Completed
	5.1	Remove the Wire Fixation Bars from the panel and transport them to the linear Gluing Machine (368882).	
	Note(s):	Ensure the holding brackets are clean before using.	
	5.2	Place the Bars face down onto the holding brackets, keeping the 3/1 L-1, 3/1 L-2, and 3/1 L-3 on one bracket and the 3/1 R-1, 3/1 R-2 and 3/1 R-3 on the other.	
	5.3	Perform test to define speed of linear Gluing Machine just prior to applying glue.	
		5.3.1 Prepare and weigh an empty cup.	
		5.3.2 Set Pressure to 40 psi and Vacuum to 1psi.	
		5.3.3 Turn the Machine to automatic mode and dispense epoxy into the cup for 30 seconds.	
		5.3.4 Weigh the cup with the epoxy in it and subtract the weight of the empty cup to determine the weight of the epoxy.	
		5.3.5 Using the average depth of the grooves beneath the Wire Fixation Bars and the weight of the glue, find the proper speed on the Charts located in the Gluing ES (ESXXXXXX).	
	5.4	Place tape over the outer ends of the bars to prevent glue from getting on the edge.	
	Note(s):	The glue from the Linear Gluing Machine must be dispensed down the middle of the Wire Fixation Bars.	
	5.5	According to the Operating Procedure, run the Linear Gluing Machine, dispensing glue down the middle of one set of bars, move the head over to the other side, reverse its direction of travel and dispense glue down the middle of the other set of bars	
		Wire Fixation Bar	
	5.6	Transport the bars with the glue applied to the gluing table.	
		Technician(s) Date	

d

		Complete
Note(s):	: Ensure those areas, which require the absence of glue be covered during the glue applying segment.	
5.7	Install the Wire Fixation Bars onto the Anode Panel.	
Note(s)	: Ensure correct placement of the Fixation Bars	
5.8	Place Post-it Tape (Fermi Stk No. 1330-1310 (Red) or equivelent) Flags over all the seams.	
5.9	Install the Gas Sleeves into the narrow end of the panel.	
5.10	Apply a small amount of epoxy to the outer edge of the gas sleeves to seal the gap between the sleeve and panel hole.	e [
Note(s):	: Ensure that the gas sleeve through hole remains free of epoxy during this procedure	
	Ensure the gas sleeves are settled properly within the gas sleeve holes before applying the epoxy.	
5.11	Install the Protection Strip Set Assy's (MD-368576) to the topside of the panel and secure to the panel. Ensure the Protection Strip Set Assy is mounted flush to the panel	
	Technician(s) Date	

5.12	Transport the Anode I to the Clamp Table A	_	o Table Assy (MD	-368786) and insta	ıll onto	Completed
5.13	Clamp on top of the W 5 PSI for 16 hours min with the Fixation Bar under pressure in the	nimum. Check to b before pressurizin	e sure that the clar	nping bar is in alig	nment	
		Date	Time	Pressure		
	Start	1				
	Finish					
5.14	After 16 hours minim	um, release the pre	essure on clamp ba	r.		
5.15	Take the Strip Set Ass Reinstall the Strip Set			om over the pins.		
5.16	Remove excess Epoxy			anad out on the ac	lass or	
5.10	through the pin holes		tion bars it any sec	eped out on the ec	iges of	
	Technician(s)			Date		
		1				
		J				
	ľ.	1			1	
			Z		Z	
		1				

6.0	Panel G	luing (Side #2)	110 / 1 / 0110
	6.1	Remove panel from clamping table, rotate it 180° so side #2 is facing up and install	Completed
		back on the gluing table	
	6.2	Remove the Protection Strip Set Assy (MD-368576) from the topside of the panel.	
	6.3	Remove the Wire Fixation Bars from the panel and transport them to the linear Gluing Machine (368882).	
	Note(s):	Ensure the holding brackets are clean before using.	
	6.4	Place the Bars face down onto the holding brackets, keeping the 3/1 L-1, 3/1 L-2, and 3/1 L-3 on one bracket and the 3/1 R-1, 3/1 R-2 and 3/1 R-3 on the other.	
	6.5	Perform test to define speed of linear Gluing Machine just prior to applying glue.	
		6.5.1 Prepare and weigh an empty cup.	
		6.5.2 Set Pressure to 40 psi and Vacuum to 1psi.	
		6.5.3 Turn the Machine to automatic mode and dispense epoxy into the cup for 30 seconds.	
		6.5.4 Weigh the cup with the epoxy in it and subtract the weight of the empty cup to determine the weight of the epoxy.	
		6.5.5 Using the average depth of the grooves beneath the Wire Fixation Bars and the weight of the glue, find the proper speed on the Charts located in the Gluing ES (ESXXXXXX).	
	6.6	Place tape over the outer ends of the bars to prevent glue from getting on the edge.	
	Note(s):	The glue from the Linear Gluing Machine must be dispensed down the middle of the Wire Fixation Bars.	
	6.7	According to the Operating Procedure, run the Linear Gluing Machine, dispensing glue down the middle of one set of bars, move the head over to the other side, reverse its direction of travel and dispense glue down the middle of the other set of bars	_
	6.8	Transport the bars with the glue applied to the gluing table.	
		Technician(s) Date	

d

		Complete
Note(s):	Ensure those areas, which require the absence of glue be covered during the glue applying segment.	
6.9	Install the Wire Fixation Bars onto the Anode Panel.	
Note(s):	Ensure correct placement of the Fixation Bars	
6.10	Place Post-it Tape (Fermi St No. # 1330-131000 (Red) or equivalent) Flags over all the seams.	
6.11	Apply a small amount of epoxy to the outer edge of the gas sleeves to seal the gap between the sleeve and panel hole.	e \square
Note(s):		
	Ensure that the gas sleeve through hole remains free of epoxy during this procedure	
6.12	Ensure the gas sleeves are settled properly within the gas sleeve holes before applying the epoxy. Epoxy Epoxy Install the Protection Strip Set Assy's (MD-368576) to the topside of the panel and secure to the panel. Ensure the Protection Strip Set Assy is mounted flush to the panel	
	Technician(s) Date	

6.13	Transport the Anode to the Clamp Table As	_	o Table Assy (MD	-368786) and insta	all onto	Completed
6.14	Clamp on top of the Wire Fixation Bars with clamp bars, then pressurize the clamp bar to 5 PSI for 16 hours minimum. Check to be sure that the clamping bar is in alignment with the Fixation Bar before pressurizing. Record date/time the panel was placed under pressure in the box below.					
		Date	Time	Pressure		
	Start					
	Finish	1				
6.15	After 16 hours minimu	ım, release the pre	ssure on clamp bar	r.		
6.16	Take the Strip Set Ass Reinstall the Strip Set			om over the pins.		
6.17	Remove excess Epoxy	1		eened out on the ea	dges or	П
0.17	through the pin holes		aron Bars II any se	sepect out on the ex		_
	T. 1 :: 0			D (
	Technician(s)			Date		
		1				
		1				
		7				
	Z		Z		Z	
		٦				
		1				

7.0 <u>Fixation Bar Measurement (Side #2)</u>

soldering pads.

Completed

7.1 Remove panel from clamping table and transport to the Fixation Bar Measurement Station.

Remove the Protection Strip Set Assy (MD-368576) from the topside of the panel.

П

7.3 Inspect the Wire Fixation Bars to make sure there are no drops of epoxy on the

П


Using a Depth Micrometer /Dial Indicator, measure the height of the fixation bar from the panel surface to the top of the bar. Start at narrow end left side continue down side, across wide, back to narrow. The measurements will be taken on outside of the wire fixation bar at 3 points (End, Middle and End) of the Wire Fixation Bars.

The measurement must be within a range of 0.186" to 0.194".

Note(s):

7.2

Measurements that are out of range need to be indicated in the table below in RED ink showing the actual measurement.



CMS ME3/1 Anode Panel Gluing

Non-Strip

Strip

7.5 Indicate side being measured:

# Pass	Fail	#	Pass	Fail
1		10		
2		11		
3		12		
4		13		
5		14		
6		15	1	
7		16	1	
8		17	1	

18

Note(s):

After measurements are completed inform supervisor of any failures. If all pass continue.

Technician(s)

Date

Date

Date

Completed

П

8.0 <u>Fixation Bar Measurement (Side #1)</u>

8.1 Rotate the panel 180° so side #1 faces up.

8.2 Remove the Protection Strip Set Assy's (MD-368576) from the topside of the panel.


8.3 Inspect the Wire Fixation Bars to make sure there are no drops of epoxy on the soldering pads.

Using a Depth Micrometer /Dial Indicator, measure the height of the fixation bar from the panel surface to the top of the fixation bar. Start at narrow end left side continue downside across wide, back to narrow. The measurements will be taken on outside of the wire fixation bar at 3 points (End, Middle and End) of the Wire Fixation Bars.

The measurement must be within a range of 0.186" to 0.194".

Note(s):

Measurements that are out of range need to be indicated in the table below in RED ink showing the actual measurement.



PNPI

CMS ME3/1 Anode Panel Gluing

Non-Strip

Strip

8.5 Indicate side being measured:

# Pass	Fail	#	Pass	Fail	
1		10			
2		11			
3		12			
4		13	,		
5		14			7
6		15			4
7		16			
8		17	1		
9		18			

T .	/ \
Note	61
TIOLE	31

1	10		
e): After measurements are complet	ad inform supervisor of an	w foilures	
If all pass continue.	eu inform supervisor of an	ly famures.	
Technician(s)		Date	
Transport the Anode Panel to the	Panel Staging Area.		
Technician(s)		Date	
Technician(s)		Date	

9.0 <u>Production Complete</u>

XXX	9.1	Process Engineering verify that the complete. This shall include a revie and signed off. Ensure that all Disc Deviation Index and dispositions having approved. Comments:	ew of all steps to ensure t repancy Reports, Noncor	that all operate informance Re	cions have been completed eports, Repair/Rework Forms,
		Process Engineering/Designee		Date	
10.0		Process Engineering "OK to Process Engineering/Designee ed to the next major assembly operation		Date	